


531 Rec'd PCT/P. 22 JAN 2002

FORM PTO-1390 (REV. 12-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER 0074-456224GWW.
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 10/031675
INTERNATIONAL APPLICATION NO. PCT/NZ00/00136	INTERNATIONAL FILING DATE (24.07.00) 24 July 2000	PRIORITY DATE CLAIMED (23.07.99) 23 July 1999	
TITLE OF INVENTION A FIBRESCOPE TRAINING APPARATUS			
APPLICANT(S) FOR DO/EO/US CHITTY, Christopher Hargrave et al.			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.</p> <p>4. <input type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))</p> <p style="margin-left: 20px;">a. <input checked="" type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</p> <p style="margin-left: 20px;">b. <input type="checkbox"/> has been communicated by the International Bureau.</p> <p style="margin-left: 20px;">c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</p> <p>6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2))</p> <p style="margin-left: 20px;">a. <input type="checkbox"/> is attached hereto.</p> <p style="margin-left: 20px;">b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</p> <p>7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))</p> <p style="margin-left: 20px;">a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</p> <p style="margin-left: 20px;">b. <input type="checkbox"/> have been communicated by the International Bureau.</p> <p style="margin-left: 20px;">c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired</p> <p style="margin-left: 20px;">d. <input type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4))</p> <p>10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p>Items 11 to 20 below concern document(s) or information included:</p> <p>11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>13. <input type="checkbox"/> A FIRST preliminary amendment</p> <p>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825</p> <p>18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</p> <p>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4)</p> <p>20. <input checked="" type="checkbox"/> Other items or information:</p> <p style="margin-left: 20px;">- Transmittal of Letter to the United States Designated/Elected Office (DO/EO/US) Express Mail Label NO. EL680720141US;</p> <p style="margin-left: 20px;">- Fees: \$520.00 (basic national fee-small entity).</p>			

531 Rec'd PCT 22 JAN 2002

U.S. APPLICATION NO. (known) 37 CFR 1.53 10/031675				INTERNATIONAL APPLICATION NO. PCT/NZ00/00136		ATTORNEY'S DOCKET NUMBER 0074-456224 GWW	
21. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =						CALCULATIONS PTO USE ONLY 1040.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).						\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$			
Total claims	- 20 =		x \$18.00	\$			
Independent claims	- 3 =		x \$84.00	\$			
MULTIPLE DEPENDENT CLAIM(S) (if applicable)				+ \$280.00		\$	
TOTAL OF ABOVE CALCULATIONS =				\$1040.00			
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27 The fees indicated above are reduced by 1/2.				+		\$ 520.00	
SUBTOTAL =				\$ 520.00			
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f))						\$	
TOTAL NATIONAL FEE =				\$ 520.00			
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3 31). \$40.00 per property +						\$	
TOTAL FEES ENCLOSED =				\$ 520.00			
						Amount to be refunded: \$	
						charged: \$	
a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>520.00</u> to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>04-1406</u> A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.							
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.							
SEND ALL CORRESPONDENCE TO: CUSTOMER NUMBER 000100 or DANN, DORFMAN, HERRELL AND SKILLMAN, P.C. 1601 Market Street, Suite 720 Philadelphia, Pennsylvania 19103-2307 USA							
						 SIGNATURE	
						Vincent T. Pace NAME	
						<u>31,049</u> REGISTRATION NUMBER	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of	: (Docket 0074-456224GWW)
	:
CHITTY, Christopher Hargrave et al.	: Confirmation No. 6868
	:
U.S. Appln. No. 10/031,675	:
International Appln. No. PCT/NZ00/00136	:
	:
International Filing Date July 24, 2000	:
	:
For: A FIBRESCOPE TRAINING	:
APPARATUS	:

PRELIMINARY AMENDMENT

As a preliminary matter, please amend the above-identified application as follows:

In the Claims:

Amend Claims 3, 5, 8, 10, 11, 12, 13, 14, and 17 to read as follows:

3.(Amended) A fibrescope training apparatus according to claim 2 further including a component representing an internal organ, connectable to a branch component and comprising an entry passage that expands into an internal cavity.

5.(Amended) A fibrescope training apparatus according to claim 3 wherein the internal organ component comprises one or more annular intermediate parts around the internal cavity which can be added or removed to change the size of the cavity within the internal organ component.

8.(Amended) A fibrescope training apparatus according to claim 1 further comprising one or more cap components connectable to an exit end of a branch component.

10.(Amended) A fibrescope training apparatus according to claim 1 wherein one or more of the branch components comprises an aperture through a side of the component

U.S. Appln. No. 10/031,675
 Int'l. Appln. No. PCT/NZ00/00136
 Docket No. 0074-456224GWW

into the interior of the component between the entry end and the exit end, and further comprising one or more caps including a part adapted to fit in said aperture and an end comprising a symbol, object, or image which will face into the interior of the branch component when the cap is in place.

11.(Amended) A fibrescope training apparatus according to claim 9 wherein the symbol(s), object(s), or image(s) is/are asymmetrical.

12.(Amended) A fibrescope training apparatus according to claim 1 comprising a mouth aperture and including a protruding web inside the mouth aperture which simulates a patient's tongue.

13.(Amended) A fibrescope training apparatus according to claim 1 including means for introducing a flow of air and a liquid to create bubbles or a foam within the interior of the apparatus.

14.(Amended) A fibrescope training apparatus according to claim 1 comprising an oral and nasal cavity component including said mouth and nose apertures, wherein said mouth and nose apertures lead to said oral and nasal cavities and said oral and nasal cavities lead to and join at an exit end from the oral and nasal cavity component, and including a protruding web inside the oral cavity which simulates a patient's tongue.

17.(Amended) A fibrescope training apparatus according to any one of claims 1 to 14 and 16 further comprising a body enclosure in which the fibrescope training apparatus is housed.

U.S. Appln. No. 10/031,675
Int'l. Appln. No. PCT/NZ00/00136
Docket No. 0074-456224GWW

Add Claims 20, 21, and 22 as follows.

20. A fibrescope training apparatus according to claim 15 further comprising a body enclosure in which the fibrescope training apparatus is housed.

21. A fibrescope training apparatus comprising mouth and/or nose aperture(s) leading to a network of multiple pathways formed by connection together of a number of individual branch components, wherein at least some of said individual branch components are of a general Y-configuration comprising an entry end and at least one exit end, which may be connected together sequentially to form an expanding number of pathways in two or three dimensions.

22. A fibrescope training apparatus comprising an oral and nasal cavity component including mouth and nose apertures, an oral cavity including within it a protruding web which simulates a patient's tongue, said mouth and nose apertures leading to oral and nasal cavities and said oral and nasal cavities leading to and joining at an exit end from the oral and nasal cavity component, said exit end leading to a network of multiple pathways through which a fibrescope may be manipulated, the pathways formed by connection together of a number of individual branch components.

REMARKS

No new matter has been introduced into this application by reason of the claim amendments presented herewith. The only purpose of this Preliminary Amendment is to correct the form of Claims 3, 5, 8, 10, 11, 12, 13, 14, and 17 and to avoid the prohibition in 37 CFR 1.75(c) against a multiple dependent claim serving as a basis for another multiple dependent claim. There is no intention to limit the scope of those

U.S. Appln. No. 10/031,675
Int'l. Appln. No. PCT/NZ00/00136
Docket No. 0074-456224GWW

claims either expressed or implied. A marked-up copy of the amended claims is attached hereto pursuant to 37 CFR 1.121(c)(3).

New claims 21 and 22 are directed to combinations of features that are believed to be fully supported by the written description of this application.

It is respectfully requested that the above amendments be entered prior to the first official action on this application.

Respectfully submitted,

DANN, DORFMAN, HERRELL AND SKILLMAN
A Professional Corporation
Attorneys for Applicant(a)

By Vincent T. Pace
VINCENT T. PACE
PTO Registration No. 31,049

Tel.: 215-563-4100
Fax: 215-563-4044
e-mail: vpac@ddhs.com
Attachment: Appendix A

U.S. Appln. No. 10/031,675
Int'l. Appln. No. PCT/NZ00/00136
Docket No. 0074-456224GWW

APPENDIX A

Claim Amendments

3.(Amended) A fibrescope training apparatus according to [either one of claims 1 and 2] claim 2 further including a component representing an internal organ, connectable to a branch component and comprising an entry passage that expands into an internal cavity.

5.(Amended) A fibrescope training apparatus according to [either one of claims 3 and 4] claim 3 wherein the internal organ component comprises one or more annular intermediate parts around the internal cavity which can be added or removed to change the size of the cavity within the internal organ component.

8.(Amended) A fibrescope training apparatus according to [any one of claims 1 to 7] claim 1 further comprising one or more cap components connectable to an exit end of a branch component.

10.(Amended) A fibrescope training apparatus according to [any one of claims 1 to 9] claim 1 wherein one or more of the branch components comprises an aperture through a side of the component into the interior of the component between the entry end and the exit end, and further comprising one or more caps including a part adapted to fit in said aperture and an end comprising a symbol, object, or image which will face into the interior of the branch component when the cap is in place.

11.(Amended) A fibrescope training apparatus according to [claim 9 or 10] claim 9 wherein the symbol(s), object(s), or image(s) is/are asymmetrical.

U.S. Appln. No. 10/031,675
Int'l. Appln. No. PCT/NZ00/00136
Docket No. 0074-456224GWW

12.(Amended) A fibrescope training apparatus according to [any one of claims 1 to 11] claim 1 comprising a mouth aperture and including a protruding web inside the mouth aperture which simulates a patient's tongue.

13.(Amended) A fibrescope training apparatus according to [any one of the preceding claims] claim 1 including means for introducing a flow of air and a liquid to create bubbles or a foam within the interior of the apparatus.

14.(Amended) A fibrescope training apparatus according to claim 1 [any one of claims 1 to 13] comprising an oral and nasal cavity component including said mouth and nose apertures, wherein said mouth and nose apertures lead to said oral and nasal cavities and said oral and nasal cavities lead to and join at an exit end from the oral and nasal cavity component, and including a protruding web inside the oral cavity which simulates a patient's tongue.

17.(Amended) A fibrescope training apparatus according to any one of claims 1 to 14 and 16 further comprising a body enclosure in which the fibrescope training apparatus is housed.

A FIBRESCOPE TRAINING APPARATUS**FIELD OF INVENTION**

- 5 The invention comprises a fibrescope training apparatus or mannequin for use in training physicians in the use of fibrescope for laparoscopy for example, or improving or maintaining physician's, skills and dexterity in the use of fibrescopes.

BACKGROUND OF INVENTION

10

A fibrescope comprises a length of optical fibre with a small "eye" lens at one end which is passed through the oral or nasal cavity and into a patient, and a larger viewing lens at the other end (or alternatively the fibrescope may be connected to a system for displaying the image on a VDU or similar). Insertion of a fibrescope

15

requires that the eye end of the fibrescope is passed through the oral or nasal cavity and that as the fibrescope is slowly inserted further into the patient it is manipulated/twisted to thereby move and appropriately position the eye end of the fibrescope. Physicians require training in the use and manipulation of fibrescopes.

20

Physicians who use fibrescopes regularly may maintain ongoing dexterity but physicians who use fibrescopes less frequently may require practice from time to time to maintain their dexterity in the use of a fibrescope.

SUMMARY OF INVENTION

25

The invention provides an improved or at least alternative form of fibrescope training apparatus or mannequin.

30

In broad terms the invention comprises a fibrescope training apparatus comprising mouth and/or nose apertures leading to a network of multiple pathways through which the fibrescope may be manipulated, the pathways formed by connection together of number of individual hollow branch components.

35

Preferably at least some or all of the branch components are of a Y-configuration comprising an entry end and two or more exit ends, which may be connected together sequentially to form an expanding number of pathways in two or three dimensions.

Preferably the fibrescope training apparatus further includes a component representing an internal organ, connectable to a branch component and comprising an entry passage that expands into an internal cavity. The internal cavity of the organ component may also reduce to an exit passage from the internal cavity.

Preferably the apparatus according further comprises one or more cap components connectable to an exit end of a branch component. The cap(s) may comprise a symbol, object, or image on the underside of the cap which faces into the branch component when the cap is connected to the exit end of the branch component.

One or more of the branch components may also comprise an aperture through a side of the component into the interior of the component between the entry end and the exit end, and one or more caps including a part adapted to fit in said aperture and an end comprising a symbol, object, or image which will face into the interior of the branch component when the cap is in place.

Preferably the fibrescope training apparatus comprises an oral and nasal cavity component including mouth and nose apertures which lead to oral and nasal cavities, which lead to and join at an exit end from the oral and nasal cavity component.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be further described with reference to the accompanying drawings by way of example and without intending to be limiting, which show preferred forms of fibrescope training mannequins of the invention. In the drawings:

Figure 1 is a perspective view of a first preferred form fibrescope training mannequin open,

Figure 2 shows a single branch component of the mannequin of Fig. 1 and a cap component,

Figure 3 is a pathway "map" as will be referred to further,

Figure 4 is a view from one end of a number of components connected together to form a simple branch network, of another preferred form of mannequin,

Figure 5 is a side view of the mannequin of Figure 4,

Figure 6 is a longitudinal cross-section of the mannequin of Figure 4,

Figure 7 is a cut away perspective view of part of the mannequin of Figures 4 to 6,

Figure 8 shows a Y-branch component of the mannequin of Figures 4 to 7, and

Figure 9 is an exploded view of another component of the branch network of the mannequin of Figures 4 to 8.

DETAILED DESCRIPTION OF PREFERRED FORM

The preferred form fibrescope training mannequin shown in Figure 1 comprises a "body" comprising a head section 1 and chest section 2, which includes a chest lid 3. Apertures 4 and 5 in the head section 1 represent oral and nasal apertures in a patient, and lead to tube 6 extending into the mannequin from the head section 1 as shown.

A branch network 7 within the mannequin body is made up of a number of individual branch components connected together to form an expanding number of pathways from the tube 6, through which a user may practice in manipulating a fibrescope in training with the mannequin.

Figure 2 shows a single branch component of the mannequin of Figure 1 which is of a general Y-configuration having a hollow interior and comprising an entry end 8 and exit ends 9. In making up a network of branch components, a first component is connected or plugged onto the tube 6 from the head section of the mannequin by pushing the entry end 8 of the first component over the tube 6, and then other similar branch components may be connected to each of the exit ends 9 of the first branch component, and again, to form a network of branch components providing an expanding number of pathways. The exit ends of the final branch components in the network may be closed by caps 10 as shown in Figure 2. Typically the branch

components and caps will be formed from plastic by injection moulding. As shown in Figures 1 and 2 the branch components are a Y-configuration comprising one entry end 8 leading to two exit ends 9 but it is possible that the branch components could be in other configurations such as comprising a single entry end leading to three exit ends or two or more entry ends etc.

The branch components connected together to form the branch network 7 provide an expanding number of pathways in two dimensions, for training in simple "left or right" manipulation of a fibroscope, or three dimensions for training in more complex manipulations of a fibroscope. Figure 3 shows a "map" of the pathways which may be used in training persons. A person may have the objective of manipulating the fibroscope through the mannequin to place the eye of the fibroscope at a predetermined point on the pathway "map" for example.

A predetermined symbol, object or image or a range of symbols, objects or images may be provided on the end 10a of the cap component which can be viewed through the fibroscope in use. Optionally the branch components may comprise additional apertures such as at 11 in Figure 2 to which cap components and components of various shapes may be fitted also carrying on the ends a predetermined symbol, object or image. A person training on the mannequin may have the objective of locating a particular object or image which can be viewed through the fibroscope, and manipulates the fibroscope to locate the correct object or image or one and then another object or image. The person may be able to view the object or image on a separate paper sheet or similar as well as through the fibroscope, to assist the person in becoming accustomed to the size of what is seen through the fibroscope relative to the actual size. The object or image may be incorporated into games.

Figures 4 to 9 show another preferred form of fibroscope training mannequin of the invention. These figures do not show a separate "body" as in Figure 1 but simply components which may be used to form an expanding number of pathways similar to the branch network 7 of Figure 1. The components of Figures 4 to 9 when assembled together to form a branch network may be housed within a "body" enclosure such as that of Figure 1 or similar or of any other suitable shape or form to simulate a patient, or alternatively may be used for fibroscope training without a separate "body" enclosure in which case the branch components themselves when assembled together form the training mannequin.

Referring to Figures 4 to 6, this form of mannequin comprises an oral and nasal cavity component 15, a number of Y-branch components 16 (only one of which is shown) which is similar to the branch component of Figure 2 and which is separately shown in Figure 8, and one or more components 17. In component 15 aperture 18 leading to passage 19 represents the nasal passage of a patient, and aperture 20 leading to cavity 21 represents the mouth and oral cavity of the patient. The passage from the back of the oral cavity 21 joins nasal passage 19 at 22 in the throat region of the mannequin. Protruding web 23 within the oral cavity 21 simulates the patients tongue.

As in the mannequin of Figures 1 and 2, Y-branch components such as that indicated at 24 in Figures 4 to 6 are connected to the oral and nasal cavity component 15 to form a branch network providing an expanding number of pathways through which a user may practice in manipulating a fibrescope in training with the mannequin. Figure 7 is a cut away view through the oral and nasal cavity component 15 and one Y-branch component 24 connected thereto.

The exit ends (indicated at 25 in Figure 8) of those branch components 24 which are not connected to a subsequent component may be closed by caps 25 similar to the caps 10 in the mannequin of Figures 1 and 2, and again optionally the branch components 24 may comprise additional apertures in the side(s) of one or more branch components which are also closed by a cap - in Figures 4 to 8 a cap closing an aperture in a side of a branch component is shown at 27.

Component 17 shown in Figures 4 to 7 and shown in exploded view in Figure 9 has a hollow interior 28 and represents an internal organ within the body such as the stomach or a lung. The entry passage to the internal organ component 17 expands into the internal cavity 28 and the component has an exit passage 29. The component 17 may be connected to the exit end of a Y-branch component 24, and at its exit end 29 may be closed by a cap 25 or may connect to a further component of the branch network.

In the preferred form the internal organ component 17 is made up of entry end part 17a, exit end part 17b, and one or more intermediate annular components 30 which clip together to form the whole item 17. The component 30 may include a rubber or

synthetic diaphragm (not shown) with a central aperture which extends across the interior of the component 17, requiring in use that a user manipulate the fibrescope to move the end of the fibrescope through the aperture in the diaphragm. The aperture in the diaphragm may be off centre so that the orientation of the diaphragm may be changed by rotating the centre component 30. Gripping portions 31 on the exterior of the centre component 30 and optionally also the parts 17a and 17b of the component 17 may include markings which enable the rotational position of the components relative to one another to be determined from the exterior without breaking down the component. Two or three centre components 30 may be fitted between the entry part 17a and exit part 17b optionally each with a diaphragm with apertures which are off centre so that by rotating each of the two or three components 30 relative to one another, the mannequin may be set up with the diaphragm apertures misaligned to increase the level of difficulty for a user manipulating the fibrescope.

As referred to previously a symbol object or image may be positioned on the inside end face of the caps 25. Preferably the caps are asymmetrically shaped so that it is possible to determine from the exterior the orientation of an asymmetrical image on the internal end face of the cap, when setting up the mannequin before use. Any of the interior surfaces of the mannequin components may carry graphics simulating the interior of a body passage or organ to make manipulation of a fibrescope in a patient as realistic as possible.

The apparatus may include means for introducing a flora air and a liquid into the interior of the apparatus to create bubbles (or a light foam) within the interior of parts of the apparatus, to further simulate or make more realistic use of the apparatus. One or more of the caps 10 or 25 (in the form of Figs 1 to 3, and Figs 4 to 9 respectively) or side caps 27 in the form of Figs 4 to 9, may include a small bore through the cap to one end of which on the exterior of the apparatus is attached a tube. Air under low pressure and a liquid which will create bubbles such as a detergent or similar for example, may be blown through the tube and into the interior of the apparatus. Such tubes may be connected to the apparatus at other caps or at other points. In addition the apparatus may optionally include means to introduce a lubricating liquid onto some of the interior surfaces of the apparatus. Referring to Fig. 6, a tube connected to the oral and nasal cavity component 15 may introduce a lubricating liquid, such as optionally again a detergent or similar, into the trough

- area 33 below the tongue web 23. One or more small bores may be provided through the tongue web 33 so that the lubricating liquid will in use slowly drip on to and coat the upwardly facing surface of the web 34 between the nasal passage 19 and oral cavity 21. From there the lubricating liquid may drip from the upper surface of the web 34 off the edge of the web 34 onto the back of the nasal passage 19. Alternative arrangements are possible and for example one or more small nozzles could be arranged to spray a lubricating liquid into the interior of the oral and nasal cavities or passages intermittently.
- 5
- 10 The foregoing describes the invention including the preferred form thereof. Alterations and modifications as will be obvious to those skilled in the art are intended to be incorporated within the scope hereof as defined by the accompanying claims.

CLAIMS

1. A fibrescope training apparatus comprising mouth and/or nose aperture(s) leading to a network of multiple pathways through which a fibrescope may be manipulated, the pathways formed by connection together of a number of individual branch components.
2. A fibrescope training apparatus according to claim 1 wherein at least some of said individual branch components are of a general Y-configuration comprising an entry end and at least one exit end, which may be connected together sequentially to form an expanding number of pathways in two or three dimensions.
3. A fibrescope training apparatus according to either one of claims 1 and 2 further including a component representing an internal organ, connectable to a branch component and comprising an entry passage that expands into an internal cavity.
4. A fibrescope training apparatus according to claim 3 wherein the internal cavity of the organ component also reduces to an exit passage from the internal cavity.
5. A fibrescope training apparatus according to either one of claims 3 and 4 wherein the internal organ component comprises one or more annular intermediate parts around the internal cavity which can be added or removed to change the size of the cavity within the internal organ component.
6. A fibrescope training apparatus according to claim 5 wherein one or more of said annular part(s) supports a diaphragm extending across the cavity within the internal organ component, with an aperture through the diaphragm through which a user may manipulate a fibrescope.
7. A fibrescope training mannequin according to claim 6 wherein the aperture through the diaphragm is off-centre relative to a longitudinal axis through the internal cavity.

8. A fibrescope training apparatus according to any one of claims 1 to 7 further comprising one or more cap components connectable to an exit end of a branch component.

9. A fibrescope training apparatus according to claim 8 wherein one or more of said cap(s) comprises a symbol, object, or image on the underside of the cap which faces into the branch component when the cap is connected to the exit end of the branch component.

10. A fibrescope training apparatus according to any one of claims 1 to 9 wherein one or more of the branch components comprises an aperture through a side of the component into the interior of the component between the entry end and the exit end, and further comprising one or more caps including a part adapted to fit in said aperture and an end comprising a symbol, object, or image which will face into the interior of the branch component when the cap is in place.

11. A fibrescope training apparatus according to claim 9 or 10 wherein the symbol(s), object(s), or image(s) is/are asymmetrical.

12. A fibrescope training apparatus according to any one of claims 1 to 11 comprising a mouth aperture and including a protruding web inside the mouth aperture which simulates a patient's tongue.

13. A fibrescope training apparatus according to any one of the preceding claims including means for introducing a flow of air and a liquid to create bubbles or a foam within the interior of the apparatus.

14. A fibrescope training apparatus according to any one of claims 1 to 13 comprising an oral and nasal cavity component including said mouth and nose apertures, wherein said mouth and nose apertures lead to oral and nasal cavities and said oral and nasal cavities lead to and join at an exit end from the oral and nasal cavity component, and including a protruding web inside the oral cavity which simulates a patient's tongue.

15. A fibrescope training apparatus according to any one of claims 1 to 14 of the preceding claims including means to introduce a lubricating liquid to interior surfaces of the apparatus.

5 16. A fibrescope training apparatus according to claim 14 including means to introduce a lubricating liquid to interior surfaces of the oral and nasal component.

10 17. A fibrescope training apparatus according to any one of claims 1 to 16 further comprising a body enclosure in which the fibrescope training apparatus is housed.

18. A fibrescope training apparatus comprising an oral and nasal cavity part including a mouth aperture and a nose aperture which lead to oral and nasal cavities, which oral and nasal cavities join and lead to at least one internal organ
15 part representing an internal organ and comprising an entry passage that expands into a larger internal cavity.

19. A fibrescope training apparatus according to claim 18 wherein the internal
20 organ part comprises one or more annular intermediate parts around the internal cavity which can be added or removed to change the size of the cavity within the internal organ part.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
1 February 2001 (01.02.2001)

PCT

(10) International Publication Number
WO 01/08126 A1

(51) International Patent Classification⁷: **G09B 23/28**

Unit 4, 131 Park Road, Miramar, Wellington (NZ). MARS-
LAND, Colin, Peter [NZ/NZ]; Unit 4, 131 Park Road, Mi-
ramar, Wellington (NZ).

(21) International Application Number: PCT/NZ00/00136

(22) International Filing Date: 24 July 2000 (24.07.2000)

(74) Agents: WEST-WALKER, Gregory, James et al.; West-
Walker Bennett, Mobil on the Park, 157 Lambton Quay,
Wellington (NZ).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
336904 ✓ 23 July 1999 (23.07.1999) NZ
504890 ✓ 1 June 2000 (01.06.2000) NZ

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(71) Applicant (*for all designated States except US*): REPLI-
CANT LIMITED [NZ/NZ]; Unit 4, 131 Park Road, Mira-
mar, Wellington (NZ).


(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): CHITTY, Christo-
pher, Hargrave [NZ/NZ]; Unit 4, 131 Park Road, Mira-
mar, Wellington (NZ). GUY, Bernard, Joseph [NZ/NZ];

[Continued on next page]

(54) Title: A FIBRESCOPE TRAINING APPARATUS



(57) Abstract: A fibroscope training apparatus comprises mouth and/or nose aperture(s) leading to a network of multiple pathways through which a fibroscope may be manipulated. The pathways are formed by connection together of a number of individual branch components which are individually typically of a general Y-configuration. They may be connected together sequentially to form an expanding number of pathways in two or three dimensions. Further components may represent internal organs.

WO 01/08126 A1




Fig 1




Fig 2

2/5




Fig 3




Fig 8




Fig 4




Fig 5




Fig 6




Fig 7




Fig 9

DECLARATION, POWER OF ATTORNEY AND POWER TO INSPECT

As a below named inventor, I hereby declare:

that my residence, post office address and citizenship are as stated below next to my name;

that I believe I am the original, first and sole inventor (if only one name is listed below) or an original and first inventor (if plural inventors are named below) of the subject matter of this application which is entitled: **A FIBRESCOPE TRAINING APPARATUS**

the specification of which [check one(s) applicable]

X was filed 24 July 2000 as PCT International/~~XXXXXXXXXXXXXXXXXXXX~~ PCT/NZ00/00136
 and was amended by Amendment filed _____ (if applicable); [or];
 is attached to this Declaration, Power of Attorney and Power to Inspect;

that I have reviewed and understand the contents of the above-identified application, including the claims, as amended by any amendment referred to above; and

that I acknowledge my duty to disclose information which is material to the examination of this application in accordance with Rule 56(a) [37CFR§1.56(a)].

CLAIM UNDER 35 U.S.C. §119: I hereby claim foreign priority benefits under 35 USC §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application of which priority is claimed:

<u>Prior Foreign Application(s)</u>		<u>Filing Date</u>	<u>Priority Claimed</u>
<u>Application No.</u>	<u>Country</u>	<u>Day-Mo-Year</u>	<u>Yes - No</u>
336904	New Zealand	23 - 07 - 99	Yes
504890	New Zealand	01 - 06 - 00	Yes

POWER OF ATTORNEY: As inventor, I hereby appoint the practitioners associated with **Customer No. 000110** as my attorneys or agents with full power of substitution to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: **Vincent T. Pace, Reg. No. 31,049** and **Patrick J. Hagan, Reg. No. 27,643**

POWER TO INSPECT: I hereby give **DANN, DORFMAN, HERRELL AND SKILLMAN, P.C.** of Philadelphia, PA or its duly accredited representatives power to inspect and obtain copies of the papers on file relating to this application.

SEND CORRESPONDENCE TO: CUSTOMER NUMBER 000110

DIRECT INQUIRIES TO: Vincent T. Pace

Tel.: 215-563-4100
Fax: 215-563-4044

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SOLE OR FIRST JOINT INVENTOR

SECOND JOINT INVENTOR (if any)

Full Name CHRISTOPHER HARGRAVE CHITTY
 First Middle Last

Full Name BERNARD JOSEPH GUY
 First Middle Last

Signature [Signature]

Signature [Signature]

Date 30/1/02

Date 7-2-02

Residence Wellington NEW ZEALAND
 City State or Country

Residence Wellington NEW ZEALAND
 City State or Country

Citizenship NEW ZEALAND

Citizenship NEW ZEALAND

Post Office Address:

Post Office Address:

Unit 4, 131 Park Road, Miramar

Unit 4, 131 Park Road, Miramar

Wellington NEW ZEALAND
 City State or Country Zip Code

Wellington NEW ZEALAND
 City State or Country Zip Code

10031675 .06.1902

THIRD JOINT INVENTOR

FOURTH JOINT INVENTOR (if any)

Full Name COLIN PETER MARSLAND

Full Name _____

First Middle Last

First Middle Last

Signature Colin Marsland

Signature _____

Date 8/2/02

Date _____

Residence Wellington NEW ZEALAND NZ
City State or Country

Residence _____
City State or Country

Citizenship NEW ZEALAND

Citizenship _____

Post Office Address:

Post Office Address:

Unit 4, 131 Park Road, Miramar

Wellington NEW ZEALAND
City State or Country Zip Code

City State or Country Zip Code